



» MEDENTIKA® PreFace® Abutments and PreFace® Abutment Holders «




CATALOGUE 2017

Datron D5
Dental Concept DC1/DC5
imes-icore
MB Maschinen Cobra Mill
Primacon PFM 24 mediMill
R+K
Röders RXD
Sirona inLab MC X5
VHF
Wissner Gamma 202

»» The MEDENTIKA® PreFace® line –
developed with intelligence
and **produced conscientiously.** ««





international
patent
pending



34

33

» This is how your new scope for more corporate potential will appear: You can launch your own production process with PreFace® Abutments and PreFace® Abutment Holders. At the same time you continue to be flexible in terms of the individual design of your abutment solutions.




You are on the safe side with PreFace® Abutments. Whilst the diameters of 11.5 and 16 millimetres ensure the necessary variability, a uniform length guarantees the precise definition of the zero point. Incidentally we always supply your PreFace® Abutments complete with a abutment screw! To provide the widest possible variability of materials, the PreFace® Abutments are available in Titanium Grade 5 CF and CoCr.

The advantages of the PreFace® Abutments at a glance:

- Short machining times in the production process - through two blank diameters
- Maximum freedom of design - through the optimised selection of the milling blanks
- Maximum protection for the precisely designed implant interface - through screwing the abutment tight merely on the front side
- Highest levels of precision in the interface - through preassembled, standardised manufacturing processes
- More freedom during the design of the emergence profile - through the special configuration of the blanks

PreFace® Library available for:

3shape  exocad  dental wings 



PreFace® Abutments are available for:

Altatec	Camlog Screw-Line
Altatec	Camlog Root-Line 2
BEGO Implant Systems	Conelog
	Semados S-Line
	Semados RS/RXS-Line
	Semados RI-Line
BioHorizons	Tapered Internal
	Tapered Internal Plus
	Tapered Tissue Level
BIOMET 3i	Certain
BIOMET 3i	External Hex
Bredent Medical	SKY
DENTSPLY Implants	ASTRA TECH OsseoSpeed TX
DENTSPLY Implants	ASTRA TECH OsseoSpeed EV
DENTSPLY Implants	XiVE S
MEDENTIKA®	Microcone®
	Quattrocone®
Medentis Medical	ICX
MIS	SEVEN Internal Hex
Nobel Biocare	NobelReplace Tapered
Nobel Biocare	NobelActive
	NobelReplace Conical
Nobel Biocare	Brånemark
Straumann	Bone Level
Straumann	Soft Tissue Level
Zimmer Dental	Tapered Screw-Vent

You achieve excellent added value with PreFace® Abutment Holders. The ideal selection of blanks, the minimum number of components and the advantages of automated production lead to extremely efficient manufacturing processes. Despite the immense flexibility in the design of your production you will receive a well-rounded complete solution from one source!

Your advantages of the PreFace® Abutment Holder at a glance:


- Much more precise manufacturing than is the case with conventional holders - due to the innovative, single-piece design
- Short production times - through the simultaneous machining of six blanks in one working process
- Particularly time saving way of working - through the screwing tight of the abutment with just one screw in the holder
- Maximum protection for the precisely designed implant interface - through screwing the abutment tight merely on the front side
- Very transparent production process that is not susceptible to errors - through the minimum number of components
- Extremely cheap investment - through the simple design of the PreFace® Abutment holder and the avoidance of expensive wearing parts



»» The MEDENTIKA® **PreFace®** line –
developed with intelligence
and produced conscientiously. ««

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 25 Ncm



Implant connection	D 3,5	D 4,0	D 4,0
Diameter	11,5 mm	11,5 mm	16,0 mm
Article no.	B 9000-R	B 9001-R	B 9000-16R
Abutment screw	B 60	B 60	B 60
Laboratory screw	B 60 L	B 60 L	B 60 L
	39,00 EUR	39,00 EUR	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque: 25 Ncm




Implant connection	D 4,0
Diameter	16,0 mm
Article no.	B 9800-16R
Abutment screw	B 60
Laboratory screw	B 60 L
	48,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 30 Ncm



Implant connection	D 3,25-5,5	D 3,25-5,5
Diameter	11,5 mm	16,0 mm
Article no.	BS 9000-R	BS 9000-16R
Abutment screw	BS 60	BS 60
Laboratory screw	BS 60 L	BS 60 L
	39,00 EUR	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque: 30 Ncm




Implant connection	D 3,25-5,5
Diameter	16,0 mm
Article no.	BS 9800-16R
Abutment screw	BS 60
Laboratory screw	BS 60 L
	48,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 20 Ncm




Implant connection	D 3,3	D 3,3	D 3,8	D 3,8	D 4,3
Diameter	11,5 mm	16,0 mm	11,5 mm	16,0 mm	11,5 mm
Article no.	C 9000-R	C 9000-16R	C 9010-R	C 9010-16R	C 9020-R
Abutment screw	C 61	C 61	C 61	C 61	C 61
Laboratory screw	C 61 L	C 61 L	C 61 L	C 61 L	C 61 L
	39,00 EUR	44,00 EUR	39,00 EUR	44,00 EUR	39,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 20 Ncm




Implant connection	D 4,3	D 5,0	D 5,0	D 6,0	D 6,0
Diameter	16,0 mm	11,5 mm	16,0 mm	11,5 mm	16,0 mm
Article no.	C 9020-16R	C 9030-R	C 9030-16R	C 9040-R	C 9040-16R
Abutment screw	C 61	C 62	C 62	C 62	C 62
Laboratory screw	C 61 L	C 62 L	C 62 L	C 62 L	C 62 L
	44,00 EUR	39,00 EUR	44,00 EUR	39,00 EUR	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque: 20 Ncm




Implant connection	D 3,3	D 3,8	D 4,3	D 5,0	D 6,0
Diameter	16,0 mm	16,0 mm	16,0 mm	16,0 mm	16,0 mm
Article no.	C 9800-16R	C 9810-16R	C 9820-16R	C 9830-16R	C 9840-16R
Abutment screw	C 61	C 61	C 61	C 62	C 62
Laboratory screw	C 61 L	C 61 L	C 61 L	C 62 L	C 62 L
	48,00 EUR	48,00 EUR	48,00 EUR	48,00 EUR	48,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 30 Ncm



Implant connection	D 3,75-4,8	D 3,75-4,8
Diameter	11,5 mm	16,0 mm
Article no.	CX 9000-R	CX 9000-16R
Abutment screw	CX 60	CX 60
Laboratory screw	CX 60 L	CX 60 L
	39,00 EUR	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque: 30 Ncm



Implant connection	D 3,75-4,8
Diameter	16,0 mm
Article no.	CX 9800-16R
Abutment screw	CX 60
Laboratory screw	CX 60 L
	48,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 20 Ncm




Implant connection	D 3,3	D 3,8/4,3	D 3,8/4,3
Diameter	11,5 mm	11,5 mm	16,0 mm
Article no.	D 9000-R	D 9010-R	D 9010-16R
Abutment screw	D 60	D 60	D 60
Laboratory screw	D 60 L	D 60 L	D 60 L
	39,00 EUR	39,00 EUR	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque: 20 Ncm




Implant connection	D 3,3	D 3,8/4,3
Diameter	11,5 mm	16,0 mm
Article no.	D 9800-R	D 9810-16R
Abutment screw	D 60	D 60
Laboratory screw	D 60 L	D 60 L
	44,00 EUR	48,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 35 Ncm




Implant connection	NP 3,5	RP 4,3	RP 4,3	WP 5,0	WP 5,0
Diameter	11,5 mm	11,5 mm	16,0 mm	11,5 mm	16,0 mm
Article no.	E 9000-R	E 9010-R	E 9010-16R	E 9020-R	E 9020-16R
Abutment screw	E 60	E 61	E 61	E 61	E 61
Laboratory screw	E 60 L	E 61 L	E 61 L	E 61 L	E 61 L
	39,00 EUR	39,00 EUR	44,00 EUR	39,00 EUR	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque: 35 Ncm



Implant connection	NP 3,5	RP 4,3	WP 5,0
Diameter	11,5 mm	16,0 mm	16,0 mm
Article no.	E 9800-R	E 9810-16R	E 9820-16R
Abutment screw	E 60	E 61	E 61
Laboratory screw	E 60 L	E 61 L	E 61 L
	44,00 EUR	48,00 EUR	48,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 25 Ncm

					
Implant connection	D 3,0	D 3,0	D 3,6	D 3,6	D 4,2
Diameter	11,5 mm	16,0 mm	11,5 mm	16,0 mm	11,5 mm
Article no.	EV 9000-R	EV 9000-16R	EV 9010-R	EV 9010-16R	EV 9020-R
Abutment screw	EV 60	EV 60	EV 61	EV 61	EV 62
Laboratory screw	EV 60 L	EV 60 L	EV 61 L	EV 61 L	EV 62 L
	39,00 EUR	44,00 EUR	39,00 EUR	44,00 EUR	39,00 EUR
Please note: This is used with Scanbody 2. generation.					

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 25 Ncm

					
Implant connection	D 4,2	D 4,8	D 4,8	D 5,4	D 5,4
Diameter	16,0 mm	11,5 mm	16,0 mm	11,5 mm	16,0 mm
Article no.	EV 9020-16R	EV 9030-R	EV 9030-16R	EV 9040-R	EV 9040-16R
Abutment screw	EV 62	EV 63	EV 63	EV 63	EV 63
Laboratory screw	EV 62 L	EV 63 L	EV 63 L	EV 63 L	EV 63 L
	44,00 EUR	39,00 EUR	44,00 EUR	39,00 EUR	44,00 EUR
Please note: This is used with Scanbody 2. generation.					

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque: 25 Ncm

					
Implant connection	D 3,0	D 3,6	D 4,2	D 4,8	D 5,4
Diameter	11,5 mm	16,0 mm	16,0 mm	16,0 mm	16,0 mm
Article no.	EV 9800-R	EV 9810-16R	EV 9820-16R	EV 9830-16R	EV 9840-16R
Abutment screw	EV 60	EV 61	EV 62	EV 63	EV 63
Laboratory screw	EV 60 L	EV 61 L	EV 62 L	EV 63 L	EV 63 L
	44,00 EUR	48,00 EUR	48,00 EUR	48,00 EUR	48,00 EUR
Please note: This is used with Scanbody 2. generation.					

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque:
15 Ncm: D 3,0
35 Ncm: NP 3,5
35 Ncm: RP 4,3/5,0




Implant connection	D 3,0	NP 3,5	NP 3,5	RP 4,3/5,0	RP 4,3/5,0
Diameter	11,5 mm	11,5 mm	16,0 mm	11,5 mm	16,0 mm
Article no.	F 9020-R	F 9000-R	F 9000-16R	F 9010-R	F 9010-16R
Abutment screw	F 66	F 60	F 60	F 61	F 61
Laboratory screw	F 66 L	F 60 L	F 60 L	F 61 L	F 61 L
	39,00 EUR	39,00 EUR	44,00 EUR	39,00 EUR	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque:
15 Ncm: D 3,0
35 Ncm: NP 3,5
35 Ncm: RP 4,3/5,0




Implant connection	D 3,0	NP 3,5	RP 4,3/5,0
Diameter	11,5 mm	16,0 mm	16,0 mm
Article no.	F 9820-R	F 9800-16R	F 9810-16R
Abutment screw	F 66	F 60	F 61
Laboratory screw	F 66 L	F 60 L	F 61 L
	44,00 EUR	48,00 EUR	48,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 20 Ncm




Implant connection	D 3,4	D 4,1	D 4,1	D 5,0
Diameter	11,5 mm	11,5 mm	16,0 mm	16,0 mm
Article no.	H 9000-R	H 9010-R	H 9010-16R	H 9020-16R
Abutment screw	H 60	H 60	H 60	H 60
Laboratory screw	H 60 L	H 60 L	H 60 L	H 60 L
	39,00 EUR	39,00 EUR	44,00 EUR	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque: 20 Ncm



Implant connection	D 3,4	D 4,1	D 5,0
Diameter	11,5 mm	16,0 mm	16,0 mm
Article no.	H 9800-R	H 9810-16R	H 9820-16R
Abutment screw	H 60	H 60	H 60
Laboratory screw	H 60 L	H 60 L	H 60 L
	44,00 EUR	48,00 EUR	48,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 35 Ncm



Implant connection	D 3,4	D 4,1	D 5,0
Diameter	11,5 mm	11,5 mm	16,0 mm
Article no.	I 9000-R	I 9010-R	I 9020-16R
Abutment screw	I 61	I 61	I 61
Laboratory screw	I 61 L	I 61 L	I 61 L
	39,00 EUR	39,00 EUR	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque: 35 Ncm



Implant connection	D 3,4	D 4,1	D 5,0
Diameter	11,5 mm	11,5 mm	16,0 mm
Article no.	I 9800-R	I 9810-R	I 9820-16R
Abutment screw	I 61	I 61	I 61
Laboratory screw	I 61 L	I 61 L	I 61 L
	44,00 EUR	44,00 EUR	48,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 35 Ncm



Implant connection	NP 3,5	RP 4,1	WP 5,1
Diameter	11,5 mm	11,5 mm	16,0 mm
Article no.	K 9000-R	K 9010-R	K 9020-16R
Abutment screw	K 60	K 61	K 62
Laboratory screw	K 60 L	K 61 L	K 62 L
	39,00 EUR	39,00 EUR	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque: 35 Ncm




Implant connection	NP 3,5	RP 4,1	WP 5,1
Diameter	11,5 mm	11,5 mm	16,0 mm
Article no.	K 9800-R	K 9810-R	K 9820-16R
Abutment screw	K 60	K 61	K 62
Laboratory screw	K 60 L	K 61 L	K 62 L
	44,00 EUR	44,00 EUR	48,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 35 Ncm




Implant connection	NC 3,3	NC 3,3	RC 4,1/4,8	RC 4,1/4,8
Diameter	11,5 mm	16,0 mm	11,5 mm	16,0 mm
Article no.	L 9000-R	L 9000-16R	L 9010-R	L 9010-16R
Abutment screw	L 60	L 60	L 60	L 60
Laboratory screw	L 60 L	L 60 L	L 60 L	L 60 L
	39,00 EUR	44,00 EUR	39,00 EUR	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque: 35 Ncm



Implant connection	NC 3,3	RC 4,1/4,8
Diameter	16,0 mm	16,0 mm
Article no.	L 9800-16R	L 9810-16R
Abutment screw	L 60	L 60
Laboratory screw	L 60 L	L 60 L
	48,00 EUR	48,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 35 Ncm

					
					
Implant connection	NNC 3,5	RN 4,8	RN 4,8	WN 6,5	WN 6,5
Diameter	11,5 mm	11,5 mm	16,0 mm	11,5 mm	16,0 mm
Article no.	N 9030-R	N 9010-R	N 9010-16R	N 9020-R	N 9020-16R
Abutment screw	N 65	N 62	N 62	N 62	N 62
Laboratory screw	N 65 L	N 62 L	N 62 L	N 62 L	N 62 L
	39,00 EUR	39,00 EUR	44,00 EUR	39,00 EUR	44,00 EUR
Please note: This is used with Scanbody 2. generation.					

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque: 35 Ncm

			
			
Implant connection	NNC 3,5	RN 4,8	WN 6,5
Diameter	11,5 mm	16,0 mm	16,0 mm
Article no.	N 9830-R	N 9810-16R	N 9820-16R
Abutment screw	N 65	N 62	N 62
Laboratory screw	N 65 L	N 62 L	N 62 L
	44,00 EUR	48,00 EUR	48,00 EUR
Please note: This is used with Scanbody 2. generation.			

Zimmer Dental	Platform 3,5 mm		Platform 4,5 mm	Platform 5,7 mm
Implant Ø	3,70	4,10	4,70	6,00
Lab analog Ø	3,50	3,50	4,50	5,70
Article Number	IA3	IA3	IA4	IA5
Implant connection				
Medentika R-Series Lab analog	3,5	3,5	4,5	5,7
Article Number	R 50	R 50	R 51	R 52

MIS	Narrow- Platform	Standard- Platform			Wide- Platform	
Implant Ø	3,30	3,30	3,75	4,20	5,00	6,00
Lab analog Ø	3,30	4,20	4,20	4,20	4,50	4,50
Article Number	MN-RSM10	MD-RSM10	MD-RSM10	MD-RSM10	MW-RSM10	MW-RSM10
Implant connection						
Medentika R-Series Lab analog	XX	3,50	3,50	3,50	4,50	4,50
Article Number	XX	R 50	R 50	R 50	R 51	R 51

BioHorizons	Platform 3,0 mm	Platform 3,5 mm	Platform 4,5 mm	Platform 5,7 mm
Implant Ø	3,00	3,80	4,60	5,80
Lab analog Ø	3,00	3,50	4,50	5,70
Article Number	TP3IA	SYIA	SGIA	SBIA
Implant connection				
Medentika R-Series Lab analog	XX	3,50	4,50	5,70
Article Number	XX	R 50	R 51	R 52

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 30 Ncm



					
Implant connection	D 3,5	D 3,5	D 4,5	D 4,5	D 5,7
Diameter	11,5 mm	16,0 mm	11,5 mm	16,0 mm	16,0 mm
Article no.	R 9000-R	R 9000-16R	R 9010-R	R 9010-16R	R 9020-16R
Abutment screw	R 60	R 60	R 60	R 60	R 60
Laboratory screw	R 60 L	R 60 L	R 60 L	R 60 L	R 60 L
	39,00 EUR	44,00 EUR	39,00 EUR	44,00 EUR	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque: 30 Ncm




			
Implant connection	D 3,5	D 4,5	D 5,7
Diameter	16,0 mm	16,0 mm	16,0 mm
Article no.	R 9800-16R	R 9810-16R	R 9820-16R
Abutment screw	R 60	R 60	R 60
Laboratory screw	R 60 L	R 60 L	R 60 L
	48,00 EUR	48,00 EUR	48,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque:
15 Ncm: D 3,0
25 Ncm: D 3,5/4,0
25 Ncm: D 4,5/5,0




Implant connection	D 3,0	D 3,5/4,0	D 3,5/4,0	D 4,5/5,0	D 4,5/5,0
Diameter	11,5 mm	11,5 mm	16,0 mm	11,5 mm	16,0 mm
Article no.	S 9030-R	S 9000-R	S 9000-16R	S 9020-R	S 9020-16R
Abutment screw	S 67	S 60	S 60	S 61	S 61
Laboratory screw	S 67 L	S 60 L	S 60 L	S 61 L	S 61 L
	39,00 EUR	39,00 EUR	44,00 EUR	39,00 EUR	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque:
15 Ncm: D 3,0
25 Ncm: D 3,5/4,0
25 Ncm: D 4,5/5,0



Implant connection	D 3,0	D 3,5/4,0	D 4,5/5,0
Diameter	11,5 mm	16,0 mm	16,0 mm
Article no.	S 9830-R	S 9800-16R	S 9820-16R
Abutment screw	S 67	S 60	S 61
Laboratory screw	S 67 L	S 60 L	S 61 L
	44,00 EUR	48,00 EUR	48,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 25 Ncm

					
					
Implant connection	D 3,4	D 3,8	D 3,8	D 4,5	D 4,5
Diameter	11,5 mm	11,5 mm	16,0 mm	11,5 mm	16,0 mm
Article no.	T 9000-R	T 9005-R	T 9005-16R	T 9010-R	T 9010-16R
Abutment screw	T 60	T 60	T 60	T 60	T 60
Laboratory screw	T 60 L	T 60 L	T 60 L	T 60 L	T 60 L
	39,00 EUR	39,00 EUR	44,00 EUR	39,00 EUR	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque: 25 Ncm

	
	
Implant connection	D 5,5
Diameter	16,0 mm
Article no.	T 9020-16R
Abutment screw	T 60
Laboratory screw	T 60 L
	44,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque: 25 Ncm

				
				
Implant connection	D 3,4	D 3,8	D 4,5	D 5,5
Diameter	11,5 mm	16,0 mm	16,0 mm	16,0 mm
Article no.	T 9800-R	T 9805-16R	T 9810-16R	T 9820-16R
Abutment screw	T 60	T 60	T 60	T 60
Laboratory screw	T 60 L	T 60 L	T 60 L	T 60 L
	44,00 EUR	48,00 EUR	48,00 EUR	48,00 EUR

Please note: This is used with Scanbody 2. generation.

PreFace®-Abutment

- Titanium Grade 5 CF
- incl. abutment screw
- Recommended torque:
15 Ncm: NI
25 Ncm: RI
25 Ncm: AI




Implant connection	NI	RI	RI	AI	AI
Diameter	11,5 mm	11,5 mm	16,0 mm	11,5 mm	16,0 mm
Article no.	1-90-02	2-90-02	2-90-03	4-90-02	3-90-03
Abutment screw	1-06-01	2-06-03	2-06-03	4-06-01	4-06-01
Laboratory screw	1-06-02	2-06-04	2-06-04	4-06-02	4-06-02
	39,00 EUR	39,00 EUR	44,00 EUR	51,00 EUR	58,00 EUR

Please note: This is used with Scanbody 2. generation.


PreFace®-Abutment

- CoCr alloy / CTE 14.1
- incl. abutment screw
- Recommended torque:
15 Ncm: NI
25 Ncm: RI



Implant connection	NI	RI
Diameter	11,5 mm	16,0 mm
Article no.	1-90-03	2-90-06
Abutment screw	1-06-01	2-06-03
Laboratory screw	1-06-02	2-06-04
	44,00 EUR	48,00 EUR


Please note: This is used with Scanbody 2. generation.



»» **PreFace®**
Abutment Holders –
for an effective production. ««

PreFace® Abutment Holder Datron D5

- Stainless steel




Article no.

M 28

Please note: PreFace® abutment holders must be ordered directly from the machine manufacturer.

PreFace® Abutment Holder Dental Concept Systems DC1, DC5

- without changer
- Stainless steel




Article no.

M 23

Please note: PreFace® abutment holders must be ordered directly from the machine manufacturer.

PreFace® Abutment Holder Dental Concept Systems DC5

- with changer
- Stainless steel



Article no.

M 24

Please note: PreFace® abutment holders must be ordered directly from the machine manufacturer.

PreFace® Abutment Holder imes-icore 140i

- Stainless steel




Article no.

M 31

Please note: PreFace® abutment holders must be ordered directly from the machine manufacturer.

PreFace® Abutment Holder imes-icore 350i, 450i, 550i, 650i, 850i

- Stainless steel




Article no.

M 26

Please note: PreFace® abutment holders must be ordered directly from the machine manufacturer.

PreFace® Abutment Holder imes-icore 750i

- Stainless steel



Article no.

M 25

Please note: PreFace® abutment holders must be ordered directly from the machine manufacturer.

PreFace® Abutment Holder MB Maschinen Cobra Mill 5A1, 5M

• Stainless steel



Article no.

M 30

Please note:

PreFace® abutment holders must be ordered directly from the machine manufacturer.

PreFace® Abutment Holder Primacon PFM 24 mediMill

• Stainless steel



Article no.

M 54

Please note:

PreFace® abutment holders must be ordered directly from the machine manufacturer.

PreFace® Abutment Holder R+K Organical Multi5X, 5XT-M, Desktop8

• Stainless steel



Article no.

M 66

Please note:

PreFace® abutment holders must be ordered directly from the machine manufacturer.

PreFace® Abutment Holder Röders RXD

• Stainless steel



Article no.


M 65

Please note:

PreFace® abutment holders must be ordered directly from the machine manufacturer.

PreFace® Abutment Holder Sirona inLab MC X5

• Stainless steel



Artikel-Nr.

M 64

Please note:

PreFace® abutment holders must be ordered directly from the machine manufacturer.

PreFace® Abutment Holder Universal

• Stainless steel



Article no.

M 58

PreFace® Abutment Holder VHF N4

- Stainless steel




Article no.

M 62

Please note: PreFace® abutment holders must be ordered directly from the machine manufacturer.

PreFace® Abutment Holder VHF S2

- Stainless steel




Article no.

M 61

Please note: PreFace® abutment holders must be ordered directly from the machine manufacturer.

PreFace® Abutment Holder Wissner Gamma 202

- Stainless steel



Article no.

M 27

Please note: PreFace® abutment holders must be ordered directly from the machine manufacturer.

PreFace® Abutment Test block



Article no.

M 20

M 60

Version

Titanium Grade 5 CF

CoCr alloy / CTE 14.1

15,00 EUR

20,00 EUR

Torque ratchet PreFace® Abutment Holder

- incl. insert SW 3,0




Article no.

M 21

49,00 EUR

Insert SW 3,0

- Torque ratchet PreFace®



Article no.

M 29

5,00 EUR

IMPRINT

Editor: MEDENTIKA® GmbH
Hammweg 8-10
76549 Hügelsheim
+49 (0)7229 69912-0
+49 (0)7229 69912-20
info@medentika.de
www.medentika.de

Design: Der WeberFink GbR
Graphic Design Studio
www.weberfink.de

As at: March 2017

MEDENTIKA® GmbH
Hammweg 8-10
76549 Hügelsheim
Tel.: +49 (0)72 29 69912-0
Fax: +49 (0)72 29 69912-20
info@medentika.de
www.medentika.de

»» Passion for
Precision ««

